	Application No.	Applicant(s)
Notice of Allowability	10/723,939	ROTHLEITNER, HUBERT
	Examiner	Art Unit
	CUONG H. NGUYEN	3661
	COUNCIL NOUTEN	3001
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the amendment submitted on 8/30/06.		
2. X The allowed claim(s) is/are <u>1-18</u> .		
<ol> <li>Acknowledgment is made of a claim for foreign priority unall all black black</li></ol>	.,,,,	
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	• •
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7.	te
Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8 🕅 Evaminar's Stateme	ent of Reasons for Allowance
of Biological Material	9.  Other	Sitt of Academa for Allowanide
		CUONG H. NGUYEN Primary Examiner Art Unit: 3661

- 1. This Office Action is the answer to the amendment filed on 8/30/2006.
- 2. Claims 1-18 are pending.

## **Drawings**

3. The submitted formal drawings are accepted by the examiner.

## Allowable Subject Matter and Reason for Allowance

- 4. Independent claim 1, and 11 are allowable over closest available prior art of Belau et al. (PG Pub. US 20020121810) because this reference does not make obvious to one of ordinary skill in the art to suggest a drive circuit for a firing cap, trigger-able by an electric direct-current firing pulse, of a vehicle restraint system, wherein a power switching element is inserted in the control path of the high-side switch and the control path of the low-side switch, causing the power switching element to draw lost power from the firing circuit during firing pulses.
- 5. Claims 1-10, and 12-18 are allowable because they are dependent on allowed claims 1, and 11.

## Conclusion

- 6. Claims 1-18 are patentable.
- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to CUONG H. NGUYEN whose telephone number is 571-272-6759. The examiner can normally be reached on 9:30 am 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, THOMAS G. BLACK can be reached on 571-272-6956. The Rightfax number for the examiner where this application is assigned is 571-273-6759.

Application Ser. No. 09/930,676 Art Unit 3661

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CUONG AL. NGUY Primary Examiner Art Unit 3661